




CLEAN ROOM LIGHTING

**NEW MODELS AVAILABLE SOON,
visit website for details.**





Clean room luminaire

- IP65
- Up to 7 360 lm
- Up to 141 lm/W
- $\updownarrow$ -20°C to +30°C



Characteristics:

- Painted steel housing RAL 9003
- Diffuser:
 - OP** - opal PMMA diffuser
 - MP** - microprismatic PMMA diffuser
 - GLM** - matt tempered safety glass
 - GLMMP** - matt tempered safety glass + microprismatic diffuser
- Available in 2700 to 6500K
- Emergency kit/Dimming on request
- Recessed mounting:
 - M600/M625
 - M598/M623 - metal ceiling
 - Plasterboard

Typical application:



Hospitals



Microelectronic
& Semiconductor
fabrication



Pharma
& Laboratories



Food & beverages
production areas



Clean room luminaire

- IP65
- Up to 7 439 lm
- Up to 138 lm/W
- $\updownarrow$ -20°C to +30°C



Characteristics:

- Painted steel housing RAL 9003
- Diffuser:
 - OP** - opal PMMA diffuser
 - MP** - microprismatic PMMA diffuser
 - GLM** - matt tempered safety glass
 - GLMMP** - matt tempered safety glass + microprismatic diffuser
- Available in 2700 to 6500K
- Emergency kit/Dimming on request
- Surface mounting

Typical application:



Hospitals



Microelectronic
& Semiconductor
fabrication



Pharma
& Laboratories



Food & beverages
production areas



Clean room luminaire

- IP65
- Up to 7 012 lm
- Up to 149 lm/W
- $\updownarrow$ -20°C to +30°C



Characteristics:

- Painted steel housing RAL 9003
- Diffuser:
GLM - matt tempered safety glass
- Available in 2700 to 6500K
- Emergency kit/Dimming on request
- Recessed mounting:
M600/M625
M598/M623 - metal ceiling
Plasterboard

Typical application:



Hospitals



Microelectronic
& Semiconductor
fabrication



Pharma
& Laboratories





Clean room luminaire

- IP66
- Up to 7 315 lm
- Up to 158 lm/W
- $\updownarrow$ -20°C to +30°C



Characteristics:

- Painted steel housing RAL 9003
- Diffuser:
GLM - matt tempered safety glass
- Available in 2700 to 6500K
- Emergency kit/Dimming on request
- Surface mounting

Typical application:



Hospitals



Microelectronic
& Semiconductor
fabrication



Pharma
& Laboratories



VYRTYCH a.s.
Židněves 116
294 06 Březno
CZECH REPUBLIC

WWW.VYRTYCH.COM