




COMLED


Architectural Linear Down Lights






- Professional design utilising the highest grade materials for optimal performance.
- Innovative miniature reflectors create bright lighting illuminating the space
- Multiple options for a wide variety of applications
- Fixed and adjustable along with wall wash
- Trim and trimless versions.

Recessed




Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTDA1-01	2W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTDA1-02	4W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTDA1-05	10W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTDA1-10	20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTDA1-15	30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K




37*37




68*37




140*37



273*37




405*37





Recessed




Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD-2W	2W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-4W	4W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-10W	10W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-20W	20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-30W	30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K



Mini Size



Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD-MINI-2W	3W	OSRAM	>90	30° 60°	90lm/w	2700~6500K
CM-XTD-MINI-5W	5W	OSRAM	>90	30° 60°	90lm/w	2700~6500K
CM-XTD-MINI-6W	6W	OSRAM	>90	30° 60°	90lm/w	2700~6500K
CM-XTD-MINI-9W	9W	OSRAM	>90	30° 60°	90lm/w	2700~6500K
CM-XTD-MINI-12W	12W	OSRAM	>90	30° 60°	90lm/w	2700~6500K
CM-XTD-MINI-16W	16W	OSRAM	>90	30° 60°	90lm/w	2700~6500K



Recessed square linear



1 LED | 10W



2 LED | 20W





3 LED | 30W



Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD02-10W	10W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD02-2*10W	10W*2	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD02-3*10W	10W*3	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K




80*80



140*80



218*80



Wall Washer



5 LED | 10W




10 LED | 20W



15 LED | 30W

Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD05-10W	10W	OSRAM	>90	Wall washer	90lm/w	2700~6500K
CM-XTD05-20W	20W	OSRAM	>90	Wall washer	90lm/w	2700~6500K
CM-XTD05-30W	30W	OSRAM	>90	Wall washer	90lm/w	2700~6500K




Surface



Item No.	Power	CRI	Beam angle	Lm/w	CCT	Size
CM-052C-5	10W	>90	15° 30° 45°	90lm/w	2700~6500K	140*37*86mm
CM-052C-10	20W	>90	15° 30° 45°	90lm/w	2700~6500K	272*37*86mm
CM-052C-15	30W	>90	15° 30° 45°	90lm/w	2700~6500K	405*37*86mm

Surface







Item No.	Power	CRI	Beam angle	Lm/w	CCT	Size
CM-M901-3W	3W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	42*42*66mm
CM-M903-12W	12W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	120*42*66mm
CM-M905-20W	20W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	195*42*66mm
CM-M9010-40W	40W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	385*42*66mm
CM-M904-12W	12W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	82*82*66mm
CM-M908-25W	25W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	158*82*66mm
CM-M908-30W	30W	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K	234*82*66mm

Adjustable light



Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT	Size	Cut hole
CM-XTD03-10W	10W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K	168*75*h48mm	155*60mm
CM-XTD03-2*10W	20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K	302*75*h48mm	290*60mm
CM-XTD03-3*10W	30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K	435*75*h48mm	420*60mm

Adjustable griller light




Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD04-20W	20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD04-30W	30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD04-40W	2*20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD04-60W	2*30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K

Recessed



Surface




Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD2-4W	4W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-XTD2-12W	12W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-XTD2-15W	15W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-XTD2-20W	20W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-XTD2-36W	36W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-XTD2-40W	40W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-MD004-15W	15W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K
CM-MD009-36W	36W	OSRAM	>90	15° / 24° / 38° / 50° 50°50 70°70 / 35°70° Oval	90lm/w	2700~6500K


Trimless






Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD-2W	2W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-4W	4W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-10W	10W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-20W	20W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K
CM-XTD-30W	30W	OSRAM	>90	15° 30° 45°	90lm/w	2700~6500K



Trimless



Item No.	Power	LEDs	CRI	Beam angle	Lm/w	CCT
CM-XTD3-9W	9W	OSRAM	>90	15° / 24° / 38° / 50° 50*50 70*70 / 35*70° Oval wall washer	90lm/w	2700~6500K
CM-XTD3-12W	12W	OSRAM	>90	15° / 24° / 38° / 50° 50*50 70*70 / 35*70° Oval wall washer	90lm/w	2700~6500K
CM-XTD3-15W	15W	OSRAM	>90	15° / 24° / 38° / 50° 50*50 70*70 / 35*70° Oval wall washer	90lm/w	2700~6500K
CM-XTD3-27W	27W	OSRAM	>90	15° / 24° / 38° / 50° 50*50 70*70 / 35*70° Oval wall washer	90lm/w	2700~6500K
CM-XTD3-30W	30W	OSRAM	>90	15° / 24° / 38° / 50° 50*50 70*70 / 35*70° Oval wall washer	90lm/w	2700~6500K



COMLED LINEAR DOWN LIGHT LUMINAIRE CATALOGUE

www.comled.com.au